In the Claims:

7

8

9

10

11

12

13

14

15 16

1

2

3

1

2

3

1

4

5

1	 [Currently Amended] A method for acquiring remote high 					
2	resolution photographs by a user using a streaming video as a view-finder					
3	comprising:					
4	connecting a remote device to one or more photo-video acquisition					
5	devices individually comprising a camera, wherein the remote device is					
6	controlled by the user;					

using a connected one of the cameras, generating a video of a scene viewed using the respective camera;

acquiring a high resolution photograph from the remote device using the video streamed from the one or more photo-video acquisition devices as a view-finder; and

processing and transmitting the video and the high resolution photograph obtained from the one or more photo-video acquisition devices, using a joint video and still image pipeline; and

storing the video and the high resolution photograph for a first time after the generating and the transmitting.

- 2. [Original] The method of claim 1, wherein the connecting step includes connecting the remote device to the one or more photo-video acquisition devices through a network.
- 3. [Original] The method of claim 1, wherein the connecting step includes connecting the remote device to the one or more photo-video acquisition devices through a point-to-point connection.
 - 4. [Original] The method of claim 1, further comprising:
- requesting payment information from a user who wishes to control the one or more photo-video acquisition devices; and
 - enabling the user to control the one or more photo-video acquisition devices from the remote device.

- 1 5. [Original] The method of claim 4, further comprising verifying the 2 payment information submitted by the user before enabling the user to control 3 the one or more photo-video acquisition devices.
- 1 6. [Original] The method of claim 4, wherein the acquiring step 2 includes using a queue system to allow multiple users to control the one or more 3 photo-video acquisition devices.
- 7. [Currently Amended] The method of claim 1, wherein the storing comprises further comprising storing the video and the high resolution photograph in a storage on a network server.
- 1 8. [Original] The method of claim 1, further comprising sending the video and the high resolution photograph to the user.
- 9. [Original] The method of claim 1, further comprising posting the video and the high resolution photograph on a web page.
- 1 10. [Original] The method of claim 9, further comprising
 2 requesting payment information from a user who wishes to download the
 3 video and the high resolution photograph from the web page; and
 4 enabling the user to download the video and the high resolution

5

1

2

3

4 5

6

7

photograph onto the remote device.

- 11. [Currently Amended] An apparatus for acquiring remote high resolution photographs by a user using a streaming video as a view-finder, comprising:
 - one or more photo-video acquisition devices capable of acquiring videos and high resolution photographs, wherein the videos and the high resolution photographs can be processed and transmitted using a joint video and still image pipeline;
- 8 a network linked to the one or more photo-video acquisition devices;

a remote device capable of logging onto the one or more photo-video acquisition devices through the network and acquiring the high resolution photographs, using videos streamed from the one or more photo-video acquisition devices as a view-finder; and

a server coupled with the network and configured to host a web page, wherein the server is configured to post the videos and high resolution photographs generated using data acquired by the one or more photo-video acquisition devices and to download the videos and high resolution photographs to the remote device responsive to a command received from the remote device; and

wherein the photo-video acquisition devices are remote video cameras.

- 1 12. [Original] The apparatus of claim 11, wherein the user can control the one or more photo-video acquisition devices from the remote device through the network or other communication channels.
- 1 13. [Original] The apparatus of claim 12, wherein the one or more photo-video acquisition devices include a queue system that allows multiple users to control the one or more photo-video acquisition devices.
- 1 14. [Original] The apparatus of claim 11, wherein the network includes 2 a storage on a network server to store the videos and the high resolution 3 photographs.
- 1 15. [Original] The apparatus of claim 11, wherein the videos and the 2 high resolution photographs are posted on a web page.

Claims 16-21 are canceled.

9

10 11

12 13

14

15

16

17

18

19

- 1 22. [Previously Presented] The method of claim 1, further comprising: 2 communicating a command from the user to the camera; and
- altering an operation the camera with respect to the generation of the video responsive to the command.

S/N: 10/023,951 PDNO. 10007843-1 Preliminary Amendment

- 1 23. [Currently Amended] The method of claim 22, wherein the communicating the command comprises communicating using a communications channel different than the joint video and still image a pipeline configured to communicate the video and high resolution photograph.
- 1 24. Canceled.
- 1 25. Canceled.

4

5

. 6

- 1 26. [Currently Amended] A method for acquiring remote high 2 resolution photographs by a user using a streaming video as a view-finder, 3 comprising:
 - connecting a remote device to one or more photo-video acquisition devices individually comprising a camera, wherein the remote device is controlled by the user;
- using a connected one of the cameras, generating a video of a scene
 viewed using the respective camera;
- acquiring a high resolution photograph from the remote device using the video streamed from the one or more photo-video acquisition devices as a view-finder;
- processing and transmitting the video and the high resolution photograph
 obtained from the one or more photo-video acquisition devices, using a joint
 video and still image pipeline;
- communicating a command from the user to the camera; and
- altering an operation the camera with respect to the generation of the video responsive to the command; and
- wherein the communicating the command comprises communicating
 using a communications channel different than the joint video and still image
 pipeline.
 - 1 27. [New] The method of claim 1, further comprising storing the video 2 and the high resolution photograph for a first time after the generating and the 3 transmitting.

1	28.	[New]	The method	d of	claim	1, wherein	the acqu	iring compi	rises
2	acquiring d	uring the	generating	the	video	comprising	originally	capturing	the
3	video of the	scene as	viewed in re	eal t	ime us	ing the respo	ective can	nera.	

1

2

3

4

5

6

1

2

3

4

5 6

7

8

9

1

2

3

4

5

- 29. [New] The apparatus of claim 11, further comprising a server coupled with the network and configured to host a web page, wherein the server is configured to post the videos and high resolution photographs generated using data acquired by the one or more photo-video acquisition devices and to download the videos and high resolution photographs to the remote device responsive to a command received from the remote device.
- 30. [New] A method for a user to acquire remote high resolution photographs using a streaming video as a view-finder, comprising:

logging onto one or more photo-video acquisition devices from a remote device through a network;

generating video using one or more of the photo-video acquisition devices comprising cameras;

acquiring a high resolution photograph using the video streamed from the one or more photo-video acquisition devices as a view-finder; and

receiving the high resolution photograph from the network.

- 31. [New] The method of claim 30, further comprising:
- selecting a photo-video acquisition device from the one or more photovideo acquisition devices for acquiring the high resolution photograph;
- submitting payment information to control the selected photo-video acquisition device through the network; and
- controlling the selected photo-video acquisition device from the remote device through the network.
- 1 32. [New] The method of claim 30, further comprising:
- 2 storing the high resolution photograph in a local storage; and
- 3 printing the high resolution photograph on a printer at home.

J	33. [New] The method of claim 30, further comprising receiving the						
2	video from the network at home.						
1	34. [New] An image data communication method comprising:						
2	providing a remotely located camera;						
3	capturing live video data of a scene using the camera;						
4	coupling a remote device with the camera using a network;						
5	communicating captured live video data from the camera to the remote						
6	device using the network, wherein the captured live video data has a first						
7	resolution;						
8	outputting a first command from the remote device;						
9	altering the capturing of the live video data of the scene using the camera						
10	responsive to the first command;						
11	outputting a second command from the remote device;						
12	providing still image data using the captured live video data responsive to						
13	the second command, wherein the still image data has a second resolution						
14	greater than the first resolution; and						

communicating the still image data to the remote device.

1.5